## UNITED STATES AIR FORCE ACADEMY LETTER OF EXCEPTION TO MILITARY SPECIFICATION MIL-C-3261F FLIGHT (GARRISON) CAP, CADET, MEN'S 9 MAY 2017

No changes to content except date and cover page to previous LOE dated 110907.

## **USAFA LETTER OF EXCEPTON**

## FLIGHT (GARRISON) CAP, CADET, MEN'S

The following exceptions will apply when MIL-C-3261F is used to manufacture flight (garrison) caps for male cadets at the United States Air Force Academy.

- 1. Page 1, paragraph 1.2 <u>Classification</u>. Class 2 Officer, shall be applicable for USAFA contracts.
- 2. Page 2, Paragraph 1.2.1 Sizes. Add size 8 and 8 1/8 to the schedule of sizes.
- 3. Page 2, Paragraph 2.1.1 <u>Specifications, Standards and Handbooks.</u> *Disregard, supplement or replace the following military specifications/standards:*

SPECIFICATION	REPLACEMENT	DOCUMENT TITLE			
PPP-B-636	ASTM-D1974	BOX, SHIPPING, FIBERBOARD			
V-T-276	A-A-52094	THREAD, COTTON			
DDD-L-20	MIL-DTL-32075	LABEL: FOR CLOTHING, EQUIPAGE, AND TENTAGE, (GENERAL USE)			
PPP-B-601	ASTM-D6251	BOXES, WOOD, CLEATED-PLYWOOD			
PPP-B-636	ASTM- D1974/D1974M	FIBERBOARD, BOXES, METHODS OF CLOSING, SEALING, AND REINFORCING			
PPP-T-45	A-A-1492 and A- A-1671	TAPE, GUMMED, PAPER, REINFORCED AND PLAIN, FOR SEALING AND SECURING			
MIL-B-1667	A-A-55264	BRAID, TEXTILE, CORD-EDGE			
MIL-S-3577	Cancelled Replace with A-A-59701	SWEATBAND, HEADWEAR, LEATHER (NO S/S DOCUMENT)CANCELLED, REPLACE WITH NYLON BUNTING FOR SWEATBAND, TYPE I, CLASS A OF A-A-59701, SEE 3.3.3			
MIL-C-21115	MIL-DTL-21115	CLOTH, TROPICAL: WOOL, POLYESTER/WOOL			
MIL-T-43548	A-A-50199	THREAD, POLYESTER CORE: COTTON-, RAYON-, OR POLYESTER-COVERED			
MIL-C-43718	A-A-52106	CLOTH, POLYESTER; POLYESTER AND COTTON; POLYESTER AND RAYON POCKETS			
MIL-C-83448	Cancelled	CLOTH, SERGE, POLYESTER, TEXTURIZED			
MIL-C-3738K	Add	CLOTH, ELASTIQUE, WOOL, TYPE II, 18 OZ, CLASS 1			
FED-STD-751	ASTM-D6193	STITCHES, SEAMS, AND STITCHINGS			
MIL-STD-105	ANSI-Z1.4	SAMPLING PROCEDURES AND TABLES FOR INSPECTION BY ATTRIBUTES			
MIL-STD-147	MIL-HDBK-774	PALLETIZED UNIT LOADS			

4. Page 4, Paragraph 3.1 <u>First Article.</u> Disregard the entire paragraph and substitute with the following: "Before each production is commenced, the

contractor shall submit to the contracting officer, for inspection the following item: One finished cap, size 7 ¼, conforming to the requirements of this specification".

Note: This requirement may be waived if a prior contractor receives the contract for this item.

- Page 4, Paragraph 3.3.1 <u>Basic Material</u>. *Disregard the entire paragraph and substitute with the following*: "The basic material for the cap shall conform to MIL-C-3738K, Cloth, Elastique, Wool, Type II, 18 ounce, Class 1, Shade 500, dated 31 March 1987". This will be government furnished material (GFM).
- 6. Page 4, paragraph 3.3.2 <u>Braid.</u> *Disregard the entire paragraph and substitute with the following*: The braid for the cap shall conform to class 6 of A-A-55264.
- 7. Page 4, paragraph 3.3.3 <u>Sweatband</u>. *Disregard the entire paragraph and substitute with the following*: "<u>Nylon bunting</u>. The nylon bunting for the sweatband shall be dyed black and shall conform to type I, class A of A-A-55264, except that the color–fastness therein shall not apply. The dyed bunting shall show 'good' fastness to dry cleaning, perspiration, and crocking when tested."
- 8. Page 5, Paragraph 3.3.6 <u>Label</u>. *Disregard the entire paragraph and substitute with the following*:
  - 3.3.6 <u>Identification and size label.</u> "Each cap shall have a cloth, cotton, permanent-coated, combination identification, size and cleaning instruction label conforming to type VI, classes 1, 2, and 10 of specification MIL-DTL-32075. The label will finish not less than 1" long and 2  $\frac{1}{2}$ " wide, and show the following information:

SIZE_ CADET LAST NAME_	
SSN (Last Four)	SQ

OR

Applicable data may be stamped in by contractor using indelible ink.

- 3.3.6.1 <u>Size/bar-code label</u>. The label shall be approximately 2" x 3". The numbers for the size shall be at least ¼" in height. The label will also be bar-coded using type 39 bar-code. The Bar-code will consist of the (10LRS/LGRCI) Cadet Issue Section stock number for each size. Label will be attached to the outside of each polyethylene film bag for convenience of wand reading.
- 9. Page 5, Paragraph 3.5 <u>Design.</u> Disregard the entire paragraph and substitute with the following: "The cap shall be for male USAFA cadets, envelope style, fully lined, and with USAF Officer silver and blue braid."

- 10. Page 7, Table II. <u>Manufacturing Operations</u>, Operation 1. <u>Cut parts</u>. *Add the following:* "All elastique parts of the cap shall be cut out of one piece of material."
- 11. Page 17, Table III. Add the bottom row to the table for cap size 8 and 8 1/8.

	Height of Side Panels 1/			Height of Curtain 2/			
Cap Size	Center Front	Center Back	Overall at Side Center	Center Front	Center Back	Side	Circum- ference 3/
8	3 3/4	4	5 1/8	2 3/4	3	3 5/8	25
8 1/8	3 3/4	4	5 1/8	2 3/4	3	3 5/8	25 3/8

12. Page 21, paragraph 6.1 <u>Intended Use.</u> *Replace the words.*"Department of the Air Force" with "United States Air Force Academy."

Custodian: USAF Academy Colorado Springs CO 80840

Preparing Activity:
Cadet Uniforms Section (10 LRS/LGRCU)
USAF Academy, CO 80840-8210

Reviewing Activity:
Cadet Logistics Chief (10LRS/LGRC)
USAF Academy, CO 80840-8210