

Key Element/Attribute	"R" indicates it is required in the LPD
XA Key Element	
end_item_acronym_code	R
XA Elements	
logistics_support_analysis_control_number_structure	R
type_acquisition	R
XB Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
XB Elements	
logistics_support_analysis_control_number_indenture_code	R
logistics_support_analysis_control_number_nomenclature	R
sectionalized_item_transportation_indicator	R
technical_manual_functional_group_code	R
document_code	R
XC Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
XC Elements	
system_end_item_item_designator_code	R
system_end_item_provisioning_list_item_sequence_number	R
system_end_item_quantity_per_assembly	R
system_end_item_quantity_per_end_item	R
system_end_item_type_of_change_code	R
usable_on_code	R
system_end_item_provisioning_contract_control_number	R
XD Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
serial_number_from	R
serial_number_to	R
XD Element	
serial_number_usable_on_code	R
XE Key Elements	
end_item_acronym_code	R
serial_number_item_logistics_support_analysis_control_number	R
serial_number_item_alternate_logistics_support_analysis_control_number_code	R
serial_number_item_logistics_support_analysis_control_number_type	R
serial_number_system_logistics_support_analysis_control_number	R
serial_number_system_alternate_logistics_support_analysis_control_number_code	R
serial_number_system_logistics_support_analysis_control_number_type	R
serial_number_from	R
serial_number_to	R
XF Key Elements	
end_item_acronym_code	R
usable_on_code_item_logistics_support_analysis_control_number	R
usable_on_code_item_alternate_logistics_support_analysis_control_number_code	R
usable_on_code_item_logistics_support_analysis_control_number_type	R
usable_on_code_system_logistics_support_analysis_control_number	R
usable_on_code_system_alternate_logistics_support_analysis_control_number_code	R
usable_on_code_system_logistics_support_analysis_control_number_type	R
XG Key Elements	
end_item_acronym_code	R

Key Element/Attribute	"R" indicates it is required in the LPD
physical logistics support analysis control number	R
physical alternate logistics support analysis control number code	R
physical logistics support analysis control number type	R
XG Elements	
functional logistics support analysis control number	R
functional alternate logistics support analysis control number code	R
functional logistics support analysis control number type	R
XH Key	
commercial and government entity code	R
XH Elements	
commercial and government entity city	R
commercial and government entity name	R
commercial and government entity nation	R
commercial and government entity postal zone	R
commercial and government entity state	R
commercial and government entity street	R
XI Key	
technical manual code	R
XI Element	
technical manual number	R
XZ Key Elements	
document id	R
end item acronym code	R
originator code	R
issue number	R
security classification	R
logistics support analysis control number	R
alternate logistics support analysis control number code	R
logistics support analysis control number type	R
AA Key Elements	
end item acronym code	R
logistics support analysis control number	R
alternate logistics support analysis control number code	R
logistics support analysis control number type	R
service designator code	R
AA Elements	
reliability centered maintenance logic utilized	R
required achieved availability	R
required inherent availability	R
AB Key Elements	
AB Elements	
AC Key Elements	
AC Elements	
AD Key Elements	
AD Elements	
AE Key Elements	
AE Elements	
AG Key Elements	
end item acronym code	R
logistics support analysis control number	R
alternate logistics support analysis control number code	R
logistics support analysis control number type	R
annual operating requirement measurement base	R
AG Elements	
annual operating requirement	R
required technical mean time between failures	R
AH Key Elements	
AH Elements	

Key Element/Attribute	"R" indicates it is required in the LPD
AI Key Elements	
AI Elements	
AJ Key Elements	
AJ Elements	
AK Key Elements	
AK Element	
BA Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
BA Elements	
conversion_factor	R
failure_rate_data_source	R
wearout_life	R
wearout_life_measurement_base	R
reliability_availability_and_maintainability_maintenance_concept_narrative	R
reliability_availability_and_maintainability_minimum_equipment_list_narrative	R
reliability_availability_and_maintainability_qualitative_and_quantitative_maintainability_requirements_narrative	R
reliability_availability_and_maintainability_maintenance_plan_rationale_narrative	R
BB Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
item_function_identifier	R
BB Elements	
reliability_availability_and_maintainability_item_function_narrative	R
BC Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
item_function_identifier	R
failure_mode_indicator	R
BD Key Elements	
BD Elements	
mean_time_between_failure_operational_measurement_base	R
mean_time_between_failure_technical_measurement_base	R
BE Key Elements	
BE Elements	
BF Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
failure_mode_indicator	R
BF Elements	
BH Key Elements	
end_item_acronym_code	R
failure_mode_task_logistics_support_analysis_control_number	R
failure_mode_task_alternate_logistics_support_analysis_control_number_code	R
failure_mode_task_logistics_support_analysis_control_number_type	R
failure_mode_task_failure_mode_indicator	R
task_requirement_logistics_support_analysis_control_number	R
task_requirement_alternate_logistics_support_analysis_control_number_code	R
task_requirement_logistics_support_analysis_control_number_type	R
task_code	R

Key Element/Attribute	"R" indicates it is required in the LPD
BH Elements	
maintenance_interval	R
maintenance_interval_measurement_base	R
BI Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
failure_mode_indicator	R
mission_phase_code	R
BI Elements	
failure_effect_probability	R
failure_mode_criticality_number	R
failure_probability_level	R
operating_time	R
operating_time_measurement_base	R
safety_hazard_severity_code	R
failure_mode_indicator_mission_characteristics_compensating_operator_action_provisions_narrative	R
failure_mode_indicator_mission_characteristics_compensating_design_provisions_narrative	R
BK Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
mission_phase_code	R
reliability_availability_and_maintainability_safety_hazard_severity_code	R
BK Elements	
reliability_availability_and_maintainability_item_criticality_number	R
BL Key Element	
end_item_acronym_code	R
BL Elements	
mission_phase_code	R
mission_phase_operational_mode	R
CA Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
CA Elements	
annual_operating_requirement_alternate_logistics_support_analysis_control_number_code	R
annual_operating_requirement_logistics_support_analysis_control_number	R
annual_operating_requirement_logistics_support_analysis_control_number_type	R
facility_requirement_code	R
hardness_critical_procedure_code	R
hazardous_maintenance_procedure_code	R
measured_mean_elapsed_time	R
measured_mean_man_hours	R
predicted_mean_elapsed_time	R
predicted_mean_man_hours	R
preventive_maintenance_checks_and_services_indicator_code	R
referenced_alternate_logistics_support_analysis_control_number_code	R
referenced_end_item_acronym_code	R
referenced_logistics_support_analysis_control_number	R
referenced_logistics_support_analysis_control_number_type	R
referenced_task_code	R
task_annual_operating_requirement_measurement_base	R
task_frequency	R

Key Element/Attribute	"R" indicates it is required in the LPD
task_condition_a	R
task_criticality_code	R
task_identification	R
training_equipment_requirement_code	R
CB Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
subtask_number	R
CB Elements	
element_indicator	R
referenced_subtask_alternate_logistics_support_analysis_control_number_code	R
referenced_subtask_end_item_acronym_code	R
referenced_subtask_logistics_support_analysis_control_number	R
referenced_subtask_logistics_support_analysis_control_number_type	R
referenced_subtask_task_code	R
referenced_subtask_number	R
subtask_identification	R
subtask_mean_minute_elapsed_time	R
subtask_work_area_code_access	R
subtask_work_area_code_zone	R
subtask_description	R
CD Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
subtask_number	R
subtask_person_identifier	R
CD Elements	
new_or_modified_skill_specialty_code	R
skill_specialty_code	R
skill_specialty_evaluation_code	R
subtask_mean_man_minutes	R
CE Key Elements	
end_item_acronym_code	R
task_remarks_reference_code	R
CE Element	
task_remarks	R
CF Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
task_remarks_reference_code	R
CG Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
task_support_commercial_and_government_entity_code	R
task_support_reference_number	R
CG Elements	

Key Element/Attribute	"R" indicates it is required in the LPD
support_item_quantity_per_task	R
support_item_quantity_per_task_unit_of_measure	R
CH Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
technical_manual_code	R
CI Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_provision_task_code	R
task_provision_commercial_and_government_entity_code	R
task_provision_reference_number	R
task_provision_logistics_support_analysis_control_number	R
task_provision_alternate_logistics_support_analysis_control_number_code	R
task_provision_logistics_support_analysis_control_number_type	R
end_item_acronym_code	R
CI Elements	
quantity_per_task	R
quantity_per_task_unit_of_measure	R
CJ Key Elements	
CJ Elements	
CK Key Elements	
CL Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
subtask_number	R
task_subtask_associated_narrative_code	R
CL Element	
task_subtask_associated_narrative_indicator	R
CLL Key Elements	
caution_warning_note_identifier	R
CLL Elements	
task_subtask_associated_narrative_type	R
task_subtask_associated_narrative	R
CO Key Elements	
end_item_acronym_code	R
maintenance_procedure_identifier	R
task_sequence_number	R
CO Elements	
sequenced_task_end_item_acronym_code	R
sequenced_task_logistics_support_analysis_control_number	R
sequenced_task_alternate_logistics_support_analysis_control_number_code	R
sequenced_task_logistics_support_analysis_control_number_type	R
sequenced_task_code	R
reference_maintenance_procedure_end_item_acronym_code	R
reference_maintenance_procedure_identifier	R
CR Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R

Key Element/Attribute	"R" indicates it is required in the LPD
logistics_support_analysis_control_number_type	R
task_code	R
subtask_number	R
subtask_support_commercial_and_government_entity_code	R
subtask_support_reference_number	R
CR Elements	
support_item_quantity_per_subtask	R
support_item_quantity_per_subtask_unit_of_measure	R
CS Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
subtask_number	R
subtask_provision_commercial_and_government_entity_code	R
subtask_provision_reference_number	R
subtask_provision_logistics_support_analysis_control_number	R
subtask_provision_alternate_logistics_support_analysis_control_number_code	R
subtask_provision_logistics_support_analysis_control_number_type	R
CS Elements	
quantity_per_subtask	R
quantity_per_subtask_unit_of_measure	R
CT Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
subtask_number	R
subtask_objective_state	R
CU Key Elements	
circuit_breaker_end_item_acronym_code	R
circuit_breaker_logistics_support_analysis_control_number	R
circuit_breaker_alternate_logistics_support_analysis_control_number_code	R
circuit_breaker_logistics_support_analysis_control_number_type	R
circuit_breaker_commercial_and_government_entity_code	R
circuit_breaker_reference_number	R
circuit_breaker_identification_code	R
circuit_breaker_group_number	R
circuit_breaker_sequence_number	R
circuit_breaker_objective_state	R
CUU Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
subtask_number	R
circuit_breaker_end_item_acronym_code	R
circuit_breaker_logistics_support_analysis_control_number	R
circuit_breaker_alternate_logistics_support_analysis_control_number_code	R
circuit_breaker_logistics_support_analysis_control_number_type	R
circuit_breaker_commercial_and_government_entity_code	R
circuit_breaker_reference_number	R
circuit_breaker_identification_code	R
circuit_breaker_sequence_number	R
circuit_breaker_objective_state	R

Key Element/Attribute	"R" indicates it is required in the LPD
circuit_breaker_group_number	R
<b>CV Key Elements</b>	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
initial_scheduled_maintenance_interval	R
initial_scheduled_maintenance_interval_measurement_base	R
<b>CV Elements</b>	
subsequent_scheduled_maintenance_interval	R
Subsequent_scheduled_maintenance_interval_measurement_base	R
event_trigger	R
event_trigger_end_item_acronym_code	R
event_trigger_logistics_support_analysis_control_number	R
event_trigger_alternate_logistics_support_analysis_control_number_code	R
event_trigger_logistics_support_analysis_control_number_type	R
event_trigger_task_code	R
<b>CW Key Elements</b>	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
task_code	R
initial_scheduled_maintenance_interval	R
initial_scheduled_maintenance_interval_measurement_base	R
initial_sampling_value	R
initial_sampling_type	R
<b>CW Elements</b>	
subsequent_scheduled_maintenance_interval	R
subsequent_scheduled_maintenance_interval_measurement_base	R
subsequent_sampling_value	R
subsequent_sampling_type	R
initial_sampling_description	R
subsequent_sampling_description	R
<b>GA Key Elements</b>	
skill_specialty_code	R
<b>GA Elements</b>	
skill_level_code	R
<b>GB Key Elements</b>	
new_or_modified_skill_specialty_code	R
<b>GD Key Elements</b>	
<b>GD Elements</b>	
<b>GE Key Elements</b>	
<b>GE Elements</b>	
<b>EA Key Elements</b>	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
<b>EA Elements</b>	
acquisition_decision_office	R
calibration_measurement_requirement_summary_recommended	R
calibration_required	R
calibration_standard	R
calibration_time	R
calibration_interval	R
contractor_furnished_equipment_government_furnished_equipment	R
custody_code	R
date_of_first_article_delivery	R

Key Element/Attribute	"R" indicates it is required in the LPD
design_data_price	R
end_article_item_designator	R
extended_unit_price	R
government_designator	R
hardware_development_price	R
integrated_logistics_support_price	R
logistics_control_code	R
logistics_decision_office	R
managing_command_agency	R
mobile_facility_code	R
operating_dimensions_unit_of_measure	R
operating_height	R
operating_length	R
operating_weight	R
operating_weight_unit_of_measure	R
operators_manual	R
pass_thru_price	R
preparing_activity	R
printed_circuit_board_repair_operations_maintenance_level	R
program_element	R
program_support_inventory_control_point	R
recurring_cost	R
revolving_assets	R
self_test_code	R
sketch	R
skill_specialty_code_for_support_equipment_operator	R
spare_factor	R
special_management_code	R
standard_interservice_agency_serial_control_number	R
storage_dimensions_unit_of_measure	R
storage_height	R
storage_length	R
storage_weight	R
storage_weight_unit_of_measure	R
storage_width	R
support_equipment_calibration_operations_maintenance_level	R
support_equipment_contract_number	R
support_equipment_full_item_name	R
support_equipment_item_category_code	R
support_equipment_mean_time_between_failures	R
support_equipment_mean_time_to_repair	R
support_equipment_repair_operations_maintenance_level	R
support_equipment_required	R
support_equipment_service_designator	R
support_equipment_shipping_dimensions_unit_of_measure	R
support_equipment_shipping_height	R
support_equipment_shipping_length	R
support_equipment_shipping_weight	R
support_equipment_shipping_weight_unit_of_measure	R
support_equipment_shipping_width	R
support_equipment_source_maintenance_recoverability_code	R
test_measurement_and_diagnostic_equipment_register_code	R
test_measurement_and_diagnostic_equipment_register_index_number	R
type_classification	R
year_of_fielding	R
support_equipment_functional_analysis_narrative	R
support_equipment_description_and_function_narrative	R
support_equipment_nonproliferation_effort_narrative	R

Key Element/Attribute	"R" indicates it is required in the LPD
support_equipment_characteristics_narrative	R
support_equipment_installation_factors_or_other_facilities_narrative	R
support_equipment_additional_skills_and_special_training_requirements_narrative	R
support_equipment_explanation_narrative	R
support_equipment_justification_narrative	R
support_equipment_cost_price_currency_code	R
EB Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
allowance_document_number	R
EB Elements	
allocation_designation_description	R
allocation_extended_range	R
allocation_land_vessel_code	R
allocation_maintenance_level_function	R
allocation_station_identification_code	R
allocation_range_1	R
allocation_range_2	R
allocation_range_3	R
allocation_range_4	R
allocation_range_5	R
allocation_range_6	R
allocation_range_7	R
allocation_range_8	R
allocation_range_9	R
allocation_range_10	R
EC Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
support_equipment_parameter_group_code	R
EC Elements	
support_equipment_parameter	R
support_equipment_parameter_accuracy	R
support_equipment_parameter_input_or_output_code	R
support_equipment_parameter_range_from	R
support_equipment_parameter_range_to	R
support_equipment_parameter_range_or_value_code	R
ED Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
activity_name_location	R
ED Elements	
number_of_activities	R
support_equipment_quantity_per_activity	R
type_of_activity	R
EF Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
support_equipment_recommendation_data_number	R
support_equipment_recommendation_data_revision	R
EF Elements	
support_equipment_recommendation_data_date_of_initial_submission	R
support_equipment_recommendation_data_date_of_revision_submission	R
support_equipment_recommendation_data_revision_remarks	R
support_equipment_recommendation_data_status	R
EH Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R

Key Element/Attribute	"R" indicates it is required in the LPD
support_equipment_recommendation_data_number	R
support_equipment_recommendation_data_revision	R
alternate_national_stock_number_federal_supply_classification	R
alternate_national_stock_number_national_item_identification_number	R
EI Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
source_option_number	R
EI Elements	
input_power_source_ac_dc	R
input_power_source_frequency_range_maximum	R
input_power_source_frequency_range_minimum	R
input_power_source_operating_range_maximum	R
input_power_source_operating_range_minimum	R
input_power_source_percent_maximum_ripple	R
input_power_source_phase	R
input_power_source_watts	R
EJ Keys	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
design_data_category_code	R
EJ Elements	
design_data_category_code_contractor_recommended	R
design_data_category_code_estimated_price	R
design_data_category_code_estimated_price_currency_code	R
design_data_category_code_government_required	R
design_data_category_code_scope	R
EK Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
supersedure_reference_number	R
supersedure_commercial_and_government_entity_code	R
EK Elements	
reason_for_supersedure_deletion	R
supersedure_interchangeability_code	R
supersedure_item_name	R
supersedure_support_equipment_recommendation_data_number	R
supersedure_type	R
EL Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
integrated_logistics_support_requirement_category_code	R
EL Elements	
integrated_logistics_support_requirement_category_code_contractor_recommended	R
integrated_logistics_support_requirement_category_code_estimated_price	R
integrated_logistics_support_requirement_category_code_estimated_price_currency_code	R
integrated_logistics_support_requirement_category_code_government_required	R
integrated_logistics_support_requirement_category_code_scope	R
EM Key Elements	
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
system_equipment_commercial_and_government_entity_code	R
system_reference_number	R
EM Elements	
system_equipment_item_designator	R
system_equipment_quantity_per_test	R
UA Key Elements	
end_item_acronym_code	R

Key Element/Attribute	"R" indicates it is required in the LPD
unit_under_test_logistics_support_analysis_control_number	R
unit_under_test_alternate_logistics_support_analysis_control_number_code	R
unit_under_test_logistics_support_analysis_control_number_type	R
UA Elements	
unit_under_test_allowance	R
unit_under_test_maintenance_plan_number	R
unit_under_test_test_requirements_document_number	R
unit_under_test_work_package_reference	R
unit_under_test_explanation	R
UB Key Elements	
end_item_acronym_code	R
unit_under_test_logistics_support_analysis_control_number	R
unit_under_test_alternate_logistics_support_analysis_control_number_code	R
unit_under_test_logistics_support_analysis_control_number_type	R
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
UB Elements	
unit_under_test_calibration_measurement_requirement_recommended_code	R
unit_under_test_calibration_measurement_requirement_summary_status	R
UC Key Elements	
operational_test_program_commercial_and_government_entity_code	R
operational_test_program_reference_number	R
UC Elements	
operational_test_program_apportioned_unit_cost_nonrecurring	R
operational_test_program_apportioned_unit_cost_recurring	R
operational_test_program_apportioned_unit_cost_nonrecurring_recurring_currency_code	R
operational_test_program_coordinated_test_plan	R
operational_test_program_standards_for_comparison	R
operational_test_program_support_equipment_recommendation_data_number	R
UD Key Elements	
end_item_acronym_code	R
unit_under_test_logistics_support_analysis_control_number	R
unit_under_test_alternate_logistics_support_analysis_control_number_code	R
unit_under_test_logistics_support_analysis_control_number_type	R
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
operational_test_program_commercial_and_government_entity_code	R
operational_test_program_reference_number	R
UE Key Elements	
operational_test_program_commercial_and_government_entity_code	R
operational_test_program_reference_number	R
test_program_instruction_commercial_and_government_entity_code	R
test_program_instruction_reference_number	R
UE Elements	
test_program_instruction_apportioned_unit_cost_nonrecurring	R
test_program_instruction_apportioned_unit_cost_recurring	R
test_program_instruction_apportioned_unit_cost_nonrecurring_recurring_currency_code	R
test_program_instruction_self_test	R
test_program_instruction_support_equipment_recommendation_data_number	R
test_program_instruction_technical_data_package	R
UG Key Elements	
end_item_acronym_code	R
unit_under_test_logistics_support_analysis_control_number	R
unit_under_test_alternate_logistics_support_analysis_control_number_code	R
unit_under_test_logistics_support_analysis_control_number_type	R
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
unit_under_test_parameter_group_code	R

Key Element/Attribute	"R" indicates it is required in the LPD
UG Elements	
unit under test calibration measurement requirement summary parameter code	R
unit_under_test_parameter	R
unit under test parameter accuracy	R
unit under test parameter input output code	R
unit_under_test_parameter_operational_specification_code	R
unit under test parameter range from	R
unit_under_test_parameter_range_to	R
unit under test parameter range value code	R
unit under test parameter test accuracy ratio actual	R
unit under test parameter test accuracy ratio desired	R
UH Key Elements	
end item acronym code	R
task logistics support analysis control number	R
task alternate logistics support analysis control number code	R
task_logistics_support_analysis_control_number_type	R
task provision task code	R
task provision logistics support analysis control number	R
task provision alternate logistics support analysis control number code	R
task provision logistics support analysis control number type	R
task provision commercial and government entity code	R
task provision reference number	R
UH Elements	
unit under test fault isolated replaceable unit ambiguity group 1	R
unit under test fault isolated replaceable unit ambiguity group 2	R
unit under test fault isolated replaceable unit percent failure 1	R
unit under test fault isolated replaceable unit percent failure 2	R
unit_under_test_fault_isolated_replaceable_unit_test_requirements_document_indicator	R
support equipment commercial and government entity code	R
support equipment reference number	R
UI Key Elements	
adapter interconnector device commercial and government entity code	R
adapter interconnector device reference number	R
UI Elements	
adapter interconnector device apportioned unit cost nonrecurring	R
adapter interconnector device apportioned unit cost recurring	R
adapter interconnector device apportioned unit cost nonrecurring recurring currency code	R
adapter_interconnector_device_common_unit_under_test	R
adapter interconnector device support equipment recommendation data number	R
UJ Key Elements	
end item acronym code	R
unit under test logistics support analysis control number	R
unit under test alternate logistics support analysis control number code	R
unit under test logistics support analysis control number type	R
support equipment commercial and government entity code	R
support equipment reference number	R
adapter interconnector device commercial and government entity code	R
adapter interconnector device reference number	R
UK Key Elements	
automatic test equipment commercial and government entity code	R
automatic test equipment reference number	R
UK Element	
automatic test equipment government designator	R
UL Key Elements	
end item acronym code	R
unit under test logistics support analysis control number	R
unit under test alternate logistics support analysis control number code	R
unit_under_test_logistics_support_analysis_control_number_type	R

Key Element/Attribute	"R" indicates it is required in the LPD
support_equipment_commercial_and_government_entity_code	R
support_equipment_reference_number	R
automatic_test_equipment_commercial_and_government_entity_code	R
automatic_test_equipment_reference_number	R
UM Key Elements	
support_equipment_unit_under_test_commercial_and_government_entity_code	R
support_equipment_unit_under_test_reference_number	R
UM Elements	
UN Key Elements	
testing_support_equipment_commercial_and_government_entity_code	R
testing_support_equipment_reference_number	R
support_equipment_unit_under_test_commercial_and_government_entity_code	R
support_equipment_unit_under_test_reference_number	R
support_equipment_unit_under_test_parameter_group_code	R
UN Elements	
support_equipment_unit_under_test_calibrations_measurement_requirements_summary_parameter_code	R
support_equipment_unit_under_test_parameter	R
support_equipment_unit_under_test_parameter_accuracy	R
support_equipment_unit_under_test_parameter_input_output_code	R
support_equipment_unit_under_test_parameter_range_from	R
support_equipment_unit_under_test_parameter_range_to	R
support_equipment_unit_under_test_parameter_range_value_code	R
support_equipment_unit_under_test_parameter_test_accuracy_ratio_actual	R
support_equipment_unit_under_test_parameter_test_accuracy_ratio_desired	R
FA Key Elements	
FA Elements	
FE Elements	
FZ Key Elements	
JA Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
JA Elements	
cargo_tiedown_narrative	R
military_unit_type	R
net_explosive_weight	R
nonoperational_fragility_factor	R
proper_shipping_name	R
revision_date	R
sectionalized_identification	R
speed	R
theater_of_operation	R
towing_speed	R
transportation_contract_number	R
transportation_indicator	R
transportation_shock_vibration_remarks_narrative	R
transportation_lifting_and_tiedown_remarks_narrative	R
transportation_projection_remarks_narrative	R
transportation_regulatory_requirements_narrative	R
transportation_remarks_narrative	R
transportation_special_service_and_equipment_narrative	R
transportation_sectionalized_remarks_narrative	R
transportation_transport_to_and_from_narrative	R
transportation_environmental_considerations_narrative	R
transportation_military_distance_classification_narrative	R
transportation_unusual_and_special_requirements_narrative	R
transportation_venting_and_protective_clothing_narrative	R

Key Element/Attribute	"R" indicates it is required in the LPD
transportation_disaster_response_force_narrative	R
JB Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
transportation_character_mode_type	R
transportation_character_number	R
JB Elements	
container_length	R
container_type	R
electrical_grounding_narrative	R
external_or_internal_load_indicator	R
freight_classification	R
helicopter_mission_altitude	R
helicopter_mission_distance	R
helicopter_mission_payload	R
helicopter_mission_temperature	R
helicopter_mission_time	R
highway_alternate_model_load	R
highway_alternate_model_type	R
highway_prime_model_load	R
highway_prime_model_type	R
highway_transportation_type	R
rail_transportation_country	R
rail_use	R
sea_deck_stowage	R
shipping_configuration	R
transportation_item_designator	R
JC Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
transported_configuration_number	R
mobility_type	R
JC Elements	
crest_angle	R
length_front_inside	R
length_front_outside	R
length_rear_inside	R
length_rear_outside	R
military_load_classification_empty	R
military_load_classification_loaded	R
number_of_skids	R
operational_weight_empty	R
operational_weight_loaded	R
shipping_weight_loaded	R
shipping_weight_empty	R
skid_area	R
skid_area_unit_of_measure	R
tracked_ground_pressure	R
tracked_pad_shoe_area	R
tracked_pad_shoe_area_unit_of_measure	R
tracked_pads_touching	R
tracked_road_wheel_weight	R
wheeled_inflation_pressure	R
wheeled_number_of_plies	R

Key Element/Attribute	"R" indicates it is required in the LPD
wheeled_number_tires	R
wheeled_tire_load_ratings	R
wheeled_tire_size	R
wheeled_weight_ratings	R
transported_end_item_wheeled_tire_requirements_narrative	R
transported_end_item_skid_marks_narrative	R
transported_end_item_turning_information_narrative	R
transported_end_item_wheeled_axle_and_suspension_marks_narrative	R
transported_end_item_transported_other_equipment_narrative	R
<b>JE Key Elements</b>	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
transport_fiscal_year	R
<b>JE Elements</b>	
first_quarter_procurement_quantity	R
fourth_quarter_procurement_quantity	R
second_quarter_procurement_quantity	R
third_quarter_procurement_quantity	R
<b>JG Key Elements</b>	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
document_id	R
originator_code	R
issue_number	R
security_classification	R
<b>HA Key Elements</b>	
commercial_and_government_entity_code	R
reference_number	R
<b>HA Elements</b>	
acquisition_method_code	R
acquisition_method_suffix_code	R
authorization_stock_list	R
automatic_data_processing_equipment_code	R
common_and_bulk_item_list	R
contractor_technical_information_code	R
criticality_code	R
circuit_breaker_type	R
defense_logistics_information_service_screening_requirement_code	R
demilitarization_code	R
document_availability_code	R
document_identifier_code	R
government_furnished_item_list	R
hazardous_materials_storage_cost	R
hazardous_waste_disposal_cost	R
hazardous_waste_storage_cost	R
hazardous_waste_cost_currency_code	R
item_management_code	R
item_name	R
item_name_code	R
installation_and_checkout_item_list	R
interim_released_item_list	R
long_lead_time_item_list	R
line_item_number	R
material	R

Key Element/Attribute	"R" indicates it is required in the LPD
material_weight	R
national_stock_number_activity_code	R
national_stock_number_cognizance_code	R
national_stock_number_federal_supply_classification	R
national_stock_number_materiel_control_code	R
national_stock_number_national_item_identification_number	R
national_stock_number_special_materiel_identification_code_materiel_management_aggregation_code	R
physical_security_pilferage_code	R
precious_metal_indicator_code	R
prescribed_load_list_item_list	R
production_lead_time	R
program_parts_selection_list	R
recommended_buy_list_item_list	R
reference_number_category_code	R
reference_number_variation_code	R
reparable_items_list	R
shelf_life	R
shelf_life_action_code	R
special_maintenance_item_code	R
special_material_content_code	R
tools_and_test_equipment_list	R
unit_of_issue	R
unit_of_issue_conversion_factor	R
unit_of_measure	R
HB Key Elements	
additional_reference_number_item_commercial_and_government_entity_code	R
additional_reference_number_item_reference_number	R
additional_reference_number_commercial_and_government_entity_code	R
additional_reference_number	R
HB Element	
additional_reference_number_reference_number_category_code	R
additional_reference_number_reference_number_variation_code	R
HBA Key Element	
HBA Elements	
HC Key Elements	
HD Key Elements	
commercial_and_government_entity_code	R
reference_number	R
price_type_selection	R
unit_price	R
HD Element	
price_provisioning	R
price_type_of_price_code	R
currency_code	R
HF Key Elements	
HF Element	
HG Key Elements	
commercial_and_government_entity_code	R
reference_number	R
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
HG Element	
allowance_item_code	R
allowance_item_quantity	R
as_required_list_a_provisioning_technical_documentation	R
as_required_list_b_provisioning_technical_documentation	R

Key Element/Attribute	"R" indicates it is required in the LPD
common_and_bulk_items_list_provisioning_technical_documentation	R
condemned_at_depot_maintenance_task_distribution	R
condemned_below_depot_maintenance_task_distribution	R
contractor_repair_cycle_time	R
data_status_code	R
depot_shipyard_maintenance_task_distribution	R
depot_shipyard_repair_cycle_time	R
depot_shipyard_replacement_task_distribution	R
designated_rework_point_one	R
designated_rework_point_two	R
essentiality_code	R
hardness_critical_item	R
indenture_code	R
interim_support_items_list_provisioning_technical_documentation	R
intermediate_direct_support_maintenance_task_distribution	R
intermediate_direct_support_repair_cycle_time	R
intermediate_direct_support_replacement_task_distribution	R
intermediate_general_support_maintenance_task_distribution	R
intermediate_general_support_repair_cycle_time	R
intermediate_general_support_replacement_task_distribution	R
item_category_code	R
line_replaceable_unit	R
long_lead_time_items_list_provisioning_technical_documentation	R
maintenance_action_code	R
maintenance_replacement_rate_i	R
maintenance_replacement_rate_ii	R
maintenance_replacement_rate_modifier	R
maximum_allowable_operating_time	R
minimum_replacement_unit	R
organizational_repair_cycle_time	R
organizational_maintenance_task_distribution	R
organizational_replacement_task_distribution	R
post_conference_list_provisioning_technical_documentation	R
prior_item_provisioning_list_item_sequence_number	R
provisioning_list_item_sequence_number	R
provisioning_parts_list_provisioning_technical_documentation	R
provisioning_remarks	R
quantity_per_assembly	R
quantity_per_end_item	R
recommended_initial_system_stock_buy	R
recommended_minimum_system_stock_level	R
recommended_tender_load_list_quantity	R
remain_in_place_indicator	R
repair_survival_rate	R
repairable_items_list_provisioning_technical_documentation	R
same_as_provisioning_list_item_sequence_number	R
short_form_provisioning_parts_list_provisioning_technical_documentation	R
source_maintenance_and_recoverability_code	R
special_repair_activity_maintenance_task_distribution	R
special_repair_activity_repair_cycle_time	R
special_repair_activity_replacement_task_distribution	R
suppression_indicator	R
system_configuration_provisioning_parts_list_provisioning_technical_documentation	R
tool_and_test_equipment_list_provisioning_technical_documentation	R
total_quantity_recommended	R
type_of_change_code	R
work_unit_code	R
HGA Key Elements	

Key Element/Attribute	"R" indicates it is required in the LPD
circuit breaker end item acronym code	R
circuit breaker commercial and government entity code	R
circuit breaker reference number	R
circuit breaker logistics support analysis control number	R
circuit breaker alternate logistics support analysis control number code	R
circuit breaker logistics support analysis control number type	R
circuit breaker identification code	R
HH Key Elements	
commercial and government entity code	R
reference number	R
end item acronym code	R
logistics support analysis control number	R
alternate logistics support analysis control number code	R
logistics support analysis control number type	R
next higher assembly provisioning list item sequence number	R
HH Elements	
next higher assembly provisioning list item sequence number indicator	R
overhaul replacement rate quantity	R
overhaul replacement indicator	R
HJ Key Elements	
commercial and government entity code	R
reference number	R
end item acronym code	R
logistics support analysis control number	R
alternate logistics support analysis control number code	R
logistics support analysis control number type	R
reference designation	R
HJ Elements	
reference designation code	R
technical manual code	R
figure number	R
item number	R
HK Key Elements	
figure number	R
item number	R
commercial and government entity code	R
reference number	R
end item acronym code	R
logistics support analysis control number	R
alternate logistics support analysis control number code	R
logistics support analysis control number type	R
technical manual code	R
HK Elements	
parts manual provisioning nomenclature	R
quantity per figure	R
technical manual change number	R
technical manual functional group code	R
technical manual indenture code	R
HM Key Elements	
commercial and government entity code	R
reference number	R
control	R
HM Elements	
end item range	R
organizational level	R
authorized quantity	R
HN Key Elements	
HO Key Elements	

Key Element/Attribute	"R" indicates it is required in the LPD
end_item_acronym_code	R
logistics_support_analysis_control_number_type	R
usable_on_code_provisioning_commercial_and_government_entity_code	R
usable_on_code_provisioning_reference_number	R
usable_on_code_provisioning_logistics_support_analysis_control_number	R
usable_on_code_provisioning_alternate_logistics_support_analysis_control_number_code	R
usable_on_code_provisioning_system_end_item_logistics_support_analysis_control_number	R
usable_on_code_provisioning_system_end_item_alternate_logistics_support_analysis_control_number_code	R
HP Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
commercial_and_government_entity_code	R
reference_number	R
change_authority_number	R
HP Elements	
interchangeability_code	R
HQ Key Elements	
end_item_acronym_code	R
logistics_support_analysis_control_number	R
alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
commercial_and_government_entity_code	R
reference_number	R
change_authority_number	R
from_serial_number_effectivity	R
to_serial_number_effectivity	R
HR Key Elements	
end_item_acronym_code	R
usable_on_code_provisioning_commercial_and_government_entity_code	R
usable_on_code_provisioning_reference_number	R
usable_on_code_provisioning_logistics_support_analysis_control_number	R
usable_on_code_provisioning_alternate_logistics_support_analysis_control_number_code	R
logistics_support_analysis_control_number_type	R
usable_on_code_provisioning_system_end_item_logistics_support_analysis_control_number	R
usable_on_code_provisioning_system_end_item_alternate_logistics_support_analysis_control_number_code	R
change_authority_number	R
HX Key Elements	
HY Key Elements	
HZ Key Elements	